

BS EN 14351-1:2006+A1:2010

**WINDOWS AND EXTERNAL PEDESTRIAN DOORSETS WITHOUT
RESISTANCE TO FIRE AND/OR SMOKE LEAKAGE CHARACTERISTICS**

DECLARATION OF PERFORMANCE

THIS IS TO CERTIFY THAT

PINEFIELD GLASS LIMITED

of

Unit 1 Pinefield Parade

Elgin

Morray

IV30 6AG

HAVE CONFORMED WITH EN 14351-1:A1:2010 ANNEX ZA

FOR

**CASEMENT, TILT & TURN, REVERSIBLE WINDOWS AND SINGLE, DOUBLE, BI-FOLD, IN-LINE AND COMPOSITE
DOORS INTENDED TO BE USED IN DOMESTIC AND COMMERCIAL LOCATIONS**

SYSTEM OF AVCP: 3

**INSTIGATING AND IMPLEMENTING A SYSTEM OF FACTORY PRODUCTION
CONTROL COMPLYING WITH EN 14351-1:A1:2010 ANNEX ZA**

**PRODUCING A TECHNICAL FILE CONTAINING THE TEST REPORT AND
PERFORMANCE INDICATION PAPERS FOR ALL COMPONENTS
INCLUDING THE FOLLOWING MANDATORY REQUIREMENTS**

DANGEROUS SUBSTANCES - Clause 4.6


LOAD BEARING CAPACITY OF SAFETY DEVICES - Clause 4.8

THERMAL TRANSMITTANCE - Clause 4.12

Signed:.....

Position:....Operations Director.....

Date:.....14 September 2015.....



PINEFIELD GLASS LIMITED

Unit 1 Pinefield Parade

Elgin

Morray

IV30 6AG

13

EN 14351-1:2006 + A1:2010

WINDOWS AND EXTERNAL PEDESTRIAN DOORSETS WITHOUT
RESISTANCE TO FIRE AND/OR SMOKE LEAKAGE CHARACTERISTICS

System of AVCP: 3

System: Eurocell EuroLogik 70 PVCu Windows and Doors

<u>Characteristics</u>	<u>Declared Value</u>
Dangerous Substances	None
Thermal Transmittance	$\leq 3.4W/(m^2K)$
Load Bearing Capacity of Safety Devices	Passed
Resistance to Wind Load	npd
Resistance to snow and permanent load	npd
Reaction to fire	npd
External Fire Performance	npd
Water tightness	npd
Impact Resistance	npd
Radiation Properties	npd
Acoustic Performance	npd
Air Permeability	npd

This declaration relates to a worst case scenario and as such all our products will give an equal to or better (lower) than performance to that quoted

Signed:.....

Date:....14 September 2015.....

Position:....Operations Director.....